

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42414	((time adj division adj multiple adj access) tdma tdd (time adj division adj duplex))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:53
L2	2260	relay adj communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:54
L3	11256	normal near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:54
L4	10611	relay near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:54
L5	117431	base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:55
L6	772	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:55
L7	48	6 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:55
L8	21	5 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:04

L9	2380	base\$band adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:04
L10	353	(spread\$demodulat\$3) (spread adj demodulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:05
L11	1367	(spread\$modulat\$3)(spread adj modulat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:06
L12	35450	relay near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:06
L13	18	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:06
L14	2	13 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:06
L15	2	12 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:07
L16	53	nobutaka near3 tauchi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 10:08

L17	13	\$modulate with relay adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:32
L18	24	demodulate same relay adj signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:33
L19	47077	processor and demodulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:34
L20	35450	relay near2 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:34
L23	7774	processor same demodulat\$3 same signal same modulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:37
L24	20	processor same demodulat\$3 same relay near3 signal same modulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:45
L25	101	demodulat\$3 adj4 relay near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:51
L26	18	demodulat\$3 adj4 relay near3 signal and modulat\$3 adj5 relay near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:47

L27	4078	processor near5 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:52
L28	2428	processor near3 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:53
L29	451	processor near5 demodulat\$3 near3 signal same modulats\$3 near3 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:55
L30	286	processor adj5 demodulat\$3 near2 signal same modulats\$3 near3 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:55
L31	220	processor adj5 demodulat\$3 near2 signal same modulats\$3 adj5 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 11:57
L35	2	processor and spread-demodulat\$3 and spread-modulate and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:00
L36	2	spread-demodulat\$3 and spread-modulate and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:00
L37	8	spread-demodulat\$3 and spread-modulat\$3 and signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:04

L38	2	processor adj7 spread-demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:04
L39	2	processor adj9 spread-demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:11
L40	1831	processor adj3 demodulat\$3 near3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:11
L41	2	processor adj3 demodulat\$3 near3 relay adj3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:12
L42	2	processor adj3 demodulat\$3 near6 relay adj3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:12
L43	560	processor adj3 demodulate adj3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 12:12
L44	31	processor adj3 demodulate adj3 signal and modulate adj4 demodulate adj3 signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:12
L45	453	455/7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:34

L46	1032599	@rlad<"20020407"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:34
L47	35	45 and 46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:36
L48	152053	((first 1st) and (2nd second)) near2 (terminal (communication adj system) (mobile portable cellular phone))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:39
L49	2259	((first 1st) and (2nd second)) near2 (terminal (communication adj system) (mobile portable cellular phone)) with base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:40
L50	35	((first 1st) and (2nd second)) near2 (terminal (communication adj system) (mobile portable cellular phone)) with base adj station same relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:11
L51	773	455/11.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 14:58
L52	254	multiplex adj controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:12
L53	10	multiplex adj controller with chang\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:12

L54	1	multiplex adj controller with chang\$3 same base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:12
L55	1012	controller with chang\$3 same base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:12
L56	97	(control adj unit controller) near6 (alter\$3 chang\$3 convert\$3 modif\$4) with operation same base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:28
L57	18	(control adj unit controller) near6 (alter\$3 chang\$3 convert\$3 modif\$4) with operation same base adj station same (instruction order\$3 command\$3 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:18
L58	2	(transmission near3 rate with relay with servic\$3 near3 area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:36
L59	3	(transmission near3 (speed rate) with relay same servic\$3 near3 area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:37
L60	6	(transmission near3 (speed rate) same relay same servic\$3 near3 area)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:38
L61	86	transmission near3 (speed rate) same relay near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:38

L62	49	transmission near3 (speed rate) with relay near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:39
L63	6	(set setting) near5 transmission near3 (speed rate) with relay near3 communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:53
L64	1	(set setting) near5 transmission near3 (speed rate) with relay near3 communication and base adj station	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:53
L65	115	(alter\$3 chang\$3 convert\$3 modif\$4) with transmission near2 (rate speed) same base adj station same (instruction order\$3 command\$3 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 16:56
L66	42	(alter\$3 chang\$3 convert\$3 modif\$4) with transmission near2 (rate speed) with base adj station with (instruction order\$3 command\$3 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:19
L67	1	09/443692	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:08
L68	13812	modulation adj scheme	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:10
L69	2454	modulation adj scheme and "455"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:11

L70	4	(alter\$3 chang\$3 convert\$3 modif\$4) with modulation with transmission near2 (rate speed) with base adj station with (instruction order\$3 command\$3 direction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 17:32
S1	2	"20040005861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/07 09:51